

Version 2.1

Print Date 26.06.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

SCHÖNOX® TT S8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Cement / Mortar, Tile adhesive

#### 1.3 Details of the supplier of the safety data sheet

| Company name of supplier | : | Sika Danmark A/S |
|--------------------------|---|------------------|
|                          |   | Hirsemarken 5    |
|                          |   | 3520 Farum       |
| Telephone                | : | +45 48 18 85 85  |
| E-mail address of person | : | EHS@dk.sika.com  |
| responsible for the SDS  |   |                  |

#### 1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

#### 2.2 Label elements

| Labelling (REGULATION (EC  | C) No 1272/20 | 08)   |
|----------------------------|---------------|---|
| Hazard pictograms          | L. C.         |   |
| Signal word :              | Danger        | •   |
| Hazard statements :        | H315          | Causes skin irritation.   |
|                            | H318          | Causes serious eye damage.  |
|                            | H335          | May cause respiratory irritation.                                     |
| Precautionary statements : | P101          | If medical advice is needed, have product container or label at hand. |
|                            | P102          | Keep out of reach of children.  |



| \                        | /ersion 2.1  | Print Date 26.06.2024  |
|--------------------------|--|--|
| Prevention:              |  |  |
| P261<br>P280             | Avoid breathing dust.<br>Wear protective gloves/ eye pr<br>protection.   | rotection/ face  |
| Response:                |  |  |
| P305 + P351 +            | P338 + P310 IF IN EYES: Rin<br>with water for several minutes.<br>tact lenses, if present and easy<br>tinue rinsing. Immediately call<br>CENTER/ doctor. | Remove con-<br>y to do. Con-   |
| <b>Disposal:</b><br>P501 | Dispose of contents/container with local regulation.   | in accordance  |
|                          | Prevention:<br>P261<br>P280<br>Response:<br>P305 + P351 +<br>Disposal:   | P261Avoid breathing dust.P280Wear protective gloves/ eye pr<br>protection.Response:P305 + P351 + P338 + P310IF IN EYES: Rin<br>with water for several minutes.<br>tact lenses, if present and easy<br>tinue rinsing. Immediately call<br>CENTER/ doctor.Disposal:P501Dispose of contents/container |

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

| Chemical name             | CAS-No.             | Classification       | Concentration |
|---------------------------|---------------------|----------------------|---------------|
|                           | EC-No.              |                      | (% w/w)       |
|                           | Registration number |                      |               |
| Cement (chromium reduced) | 65997-15-1          | Skin Irrit. 2; H315  | >= 25 - < 40  |
|                           | 266-043-4           | Eye Dam. 1; H318     |               |
|                           |                     | STOT SE 3; H335      |               |
|                           |                     | (Respiratory system) |               |

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SCHÖNOX<sup>®</sup> TT S8



| Revision Date: 26.06.2024<br>Date of last issue: 24.06.202 | Version 2.<br>22                                   | 1                | Print Date 26.06.2024 |
|--|--|------------------|-----------------------|
| calcium diformate  | 544-17-2<br>208-863-7<br>01-2119486476-24-<br>XXXX | Eye Dam. 1; H318 | >= 1 - < 2,5          |
| Substances with a wor                                      | kplace exposure limit :                            |                  |                       |
| Quartz (SiO2)  | 14808-60-7<br>238-878-4                            |                  | >= 40 - < 60          |

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

| 4.1 Description of first aid measu | Ires  |
|------------------------------------|---|
| General advice                     | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.   |
| If inhaled                         | : Move to fresh air.<br>Consult a physician after significant exposure.   |
| In case of skin contact            | <ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>  |
| In case of eye contact             | <ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul> |
| If swallowed                       | <ul> <li>Do not induce vomiting without medical advice.</li> <li>Rinse mouth with water.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>   |
| 4.2 Most important symptoms ar     | nd effects, both acute and delayed  |
| Symptoms                           | : Cough<br>Respiratory disorder<br>Excessive lachrymation<br>Erythema<br>Dermatitis<br>See Section 11 for more detailed information on health effects<br>and symptoms.  |
| Risks                              | : irritant effects  |
|                                    | Causes skin irritation.   |
| Country DK 00000670162             | 3 /   |



| Revision Date: 26.06.2024<br>Date of last issue: 24.06.2022 |      | Version 2.1   | Print Date 26.06.2024 |
|---|------|---|-----------------------|
|   |      | Causes serious eye damage.<br>May cause respiratory irritation.                                       |                       |
| 4.3 Indication of any immediate                             | me   | dical attention and special treatment ne  | eded                  |
| Treatment   | :    | Treat symptomatically.  |                       |
| SECTION 5: Firefighting mea                                 | sur  | es  |                       |
| 5.1 Extinguishing media                                     |      |   |                       |
| Suitable extinguishing media                                | :    | In case of fire, use water/water spray/wat<br>ide/sand/foam/alcohol resistant foam/che<br>extinction. |                       |
| 5.2 Special hazards arising from                            | ۱ th | e substance or mixture  |                       |
| Hazardous combustion prod-<br>ucts                          | :    | No hazardous combustion products are k  | known                 |
| 5.3 Advice for firefighters                                 |      |   |                       |
| Special protective equipment for firefighters               | :    | In the event of fire, wear self-contained b   | reathing apparatus.   |
| Further information   |      | Standard procedure for chemical fires.  |                       |

# **SECTION 6: Accidental release measures**

| 6.1 Personal precautions, prote | ctiv  | e equipment and emergency procedures                      |
|---------------------------------|-------|---|
| Personal precautions            | :     | Use personal protective equipment.                        |
|                                 |       | Avoid breathing dust.                                     |
|                                 |       | Deny access to unprotected persons.                       |
| 6.2 Environmental precautions   |       |   |
| Environmental precautions       | :     | Try to prevent the material from entering drains or water |
|                                 |       | COURSES.  |
|                                 |       | No special environmental precautions required.            |
| 6.3 Methods and material for co | ontai | nment and cleaning up                                     |
| Methods for cleaning up         | :     | Pick up and arrange disposal without creating dust.       |
|                                 |       | Keep in suitable, closed containers for disposal.         |
|                                 |       |   |
|                                 |       |   |

# 6.4 Reference to other sections

For personal protection see section 8.



Print Date 26.06.2024

Revision Date: 26.06.2024 Date of last issue: 24.06.2022 Version 2.1

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

| Advice on safe handling                        | :       | Do not breathe vapours/dust.<br>Avoid exceeding the given occupational exposure limits (see<br>section 8).<br>Do not get in eyes, on skin, or on clothing.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the ap-<br>plication area.<br>Follow standard hygiene measures when handling chemical<br>products |
|--|---------|--|
| Advice on protection agains fire and explosion | st :    | Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.  |
| Hygiene measures                               | :       | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.  |
| 7.2 Conditions for safe storage                | e, incl | uding any incompatibilities  |
| Requirements for storage areas and containers  | :       | Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.  |
| Further information on stor-<br>age stability  | :       | Keep in a dry place.<br>No decomposition if stored and applied as directed.  |
| 7.3 Specific end use(s)                        |         |  |
| Specific use(s)                                | :       | Consult most current local Product Data Sheet prior to any use.  |

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

| Components    | CAS-No.  | Value type (Form<br>of exposure) | Control parame-<br>ters * | Basis *         |  |
|---------------|--|----------------------------------|---------------------------|-----------------|--|
| Quartz (SiO2) | 14808-60-7   | GV (Respirable dust)             | 0,1 mg/m3<br>(Silica)     | DK OEL          |  |
|               | Further information: Means that the substance is included in the |                                  |                           |                 |  |
|               | list of substand   | ces considered carc              | inogenic., List of I      | imit values for |  |
|               | dust.  |                                  |                           |                 |  |
|               |  | GV (total)                       | 0,3 mg/m3<br>(Silica)     | DK OEL          |  |
|               |  | GV (respirable)                  | 0,1 mg/m3<br>(Silica)     | DK OEL          |  |
|               | Further inform   | ation: Means that th             | e substance is inc        | cluded in the   |  |
|               | list of substances considered carcinogenic.                      |                                  |                           |                 |  |
|               |  | S (total powder<br>and dust)     | 0,6 mg/m3<br>(Silica)     | DK OEL          |  |



Revision Date: 26.06.2024

Version 2.1

Print Date 26.06.2024

Date of last issue: 24.06.2022

| V | er | SIO | n | 2. | 1 |
|---|----|-----|---|----|---|
|   |    |     |   |    |   |

. 1 ~ 4 . . . .

|   | S (inhalable frac-<br>tion)        | 0,2 mg/m3<br>(Silica) | DK OEL    |  |
|---|------------------------------------|-----------------------|-----------|--|
| The above mentioned values are in accorda | nce with the legislation in effect | ct at the date of     | f the re- |  |

\*Tł lease of this safety data sheet.

#### general dust value

| Form of exposure | Value type | Control parameters | Basis  |
|------------------|------------|--------------------|--------|
| Dust             | GV         | 0,5 mg/m3          | DK OEL |
| Respirable dust  | GV         | 5 mg/m3            | DK OEL |
| Dust             | GV         | 10 mg/m3           | DK OEL |
| Total dust       | GV         | 3 mg/m3            | DK OEL |

#### 8.2 Exposure controls

#### **Engineering measures**

Personal protective equipment

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

| r croonar protective equipmen   |   |  |  |  |
|---------------------------------|---|--|--|--|
| Eye/face protection :           | Safety glasses with side-shields conforming to EN166<br>Eye wash bottle with pure water   |  |  |  |
| Hand protection                 | : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.   |  |  |  |
|                                 | Recommended: Butyl rubber/nitrile rubber gloves.<br>Contaminated gloves should be removed.  |  |  |  |
| Skin and body protection :      | Dust impervious protective suit   |  |  |  |
|                                 | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,<br>long-sleeved working clothing, long trousers). Rubber aprons<br>and protective boots are additionaly recommended for mixing<br>and stirring work.   |  |  |  |
| Respiratory protection :        | In case of inadequate ventilation wear respiratory protection.<br>Respirator selection must be based on known or anticipated<br>exposure levels, the hazards of the product and the safe work-<br>ing limits of the selected respirator.<br>particulate filter P<br>P1: Inert material; P2, P3: hazardous substances<br>Ensure adequate ventilation. This can be achieved by local<br>exhaust extraction or by general ventilation. (EN 689 - Meth-<br>ods for determining inhalation exposure). This applies in par- |  |  |  |
|                                 | ticular to the mixing / stirring area. In case this is not sufficent<br>to keep the concentrations under the occupational exposure<br>limits then respiration protection measures must be used.   |  |  |  |
| Environmental exposure controls |   |  |  |  |
| General advice                  | <ul> <li>Try to prevent the material from entering drains or water<br/>courses.</li> </ul>  |  |  |  |
|                                 | No special environmental precautions required.  |  |  |  |

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SCHÖNOX® TT S8



Revision Date: 26.06.2024 Date of last issue: 24.06.2022 Version 2.1

Print Date 26.06.2024

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

| Physical state<br>Appearance<br>Colour<br>Odour<br>Melting point/ range / Freez- | :   | solid<br>powder<br>grey<br>characteristic<br>No data available |
|--|-----|--|
| ing point  |     |  |
|  | :   | Not applicable   |
| Flammability (solid, gas)  | :   | No data available  |
| Upper/lower flammability or  | exp | losive limits  |
| Upper explosion limit / Up-<br>per flammability limit                            | :   | No data available  |
| Lower explosion limit /<br>Lower flammability limit                              | :   | No data available  |
| Flash point  | :   | Not applicable   |
| Auto-ignition temperature  | :   | No data available  |
| Decomposition temperature  | :   | No data available  |
| рН   | :   | > 11<br>Concentration: 50 %                                    |
| Viscosity<br>Viscosity, kinematic  | :   | Not applicable   |
| Solubility(ies)  |     |  |
| Water solubility   | :   | No data available  |
| Partition coefficient: n-<br>octanol/water                                       | :   | No data available  |
| Vapour pressure  | :   | No data available  |
| Density  | :   | ca. 1,1 g/cm3 (20 °C)  |
| Relative vapour density  | :   | No data available  |
| Particle characteristics   | :   | No data available  |
|  |     |  |



Version 2.1

Print Date 26.06.2024

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

| Hazardous reactions |   | No hazards to be specially mentioned. |
|---------------------|---|---------------------------------------|
|                     | - |                                       |

#### 10.4 Conditions to avoid

| Conditions to avoid | : | No data available |
|---------------------|---|-------------------|
|                     |   |                   |

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### **Components:**

#### calcium diformate:

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SCHÖNOX<sup>®</sup> TT S8



Revision Date: 26.06.2024 Date of last issue: 24.06.2022 Version 2.1

Print Date 26.06.2024

#### **Respiratory sensitisation**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

# STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

# 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

2

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of



Version 2.1

Print Date 26.06.2024

0.1% or higher..

### 12.6 Endocrine disrupting properties

### Product:

| Assessment | : | The substance/mixture does not contain components consid-<br>ered to have endocrine disrupting properties according to<br>REACH Article 57(f) or Commission Delegated regulation<br>(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at<br>levels of 0.1% or higher. |
|------------|---|---|
|            |   |   |

### 12.7 Other adverse effects

| Product:                               |  |
|--|--|
| Additional ecological infor-<br>mation | : There is no data available for this product. |

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

| - |                          |   |   |
|---|--------------------------|---|---|
|   | roduct :                 |   | The generation of waste should be avoided or minimized wherever possible.   |
|   |                          |   | Empty containers or liners may retain some product residues.<br>This material and its container must be disposed of in a safe<br>way.   |
|   |                          |   | Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  |
|   |                          |   | Disposal of this product, solutions and any by-products should<br>at all times comply with the requirements of environmental<br>protection and waste disposal legislation and any regional<br>local authority requirements. |
|   |                          |   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.   |
|   | European Waste Catalogue | : | 16 03 03* inorganic wastes containing dangerous substances  |
|   | Contaminated packaging   |   | 15 01 10* packaging containing residues of or contaminated by dangerous substances  |
|   |                          |   |   |

# **SECTION 14: Transport information**

| 14.1 UN | number | or ID | number |
|---------|--------|-------|--------|
|---------|--------|-------|--------|

| ADR                          | : | Not regulated as a dangerous good |
|------------------------------|---|-----------------------------------|
| IMDG                         | : | Not regulated as a dangerous good |
| ΙΑΤΑ                         | : | Not regulated as a dangerous good |
| 14.2 UN proper shipping name |   |                                   |

Country DK 00000670162

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SCHÖNOX<sup>®</sup> TT S8



| Revision Date: 26.06.2024<br>Date of last issue: 24.06.2022 | Version 2.1                         | Print Date 26.06.2024 |
|---|-------------------------------------|-----------------------|
| ADR   | : Not regulated as a dangerous good |                       |
| IMDG  | : Not regulated as a dangerous good |                       |

| IN                              | IDG            | : | Not regulated as a dangerous good |
|---------------------------------|----------------|---|-----------------------------------|
| IA                              | ТА             | : | Not regulated as a dangerous good |
| 14.3 Transport hazard class(es) |                |   |                                   |
| A                               | DR             | : | Not regulated as a dangerous good |
| IN                              | IDG            | : | Not regulated as a dangerous good |
| IA                              | ТА             | : | Not regulated as a dangerous good |
| 14.4 Packing group              |                |   |                                   |
| AI                              | DR             | : | Not regulated as a dangerous good |
| IN                              | IDG            | : | Not regulated as a dangerous good |
| IA                              | TA (Cargo)     | : | Not regulated as a dangerous good |
| IA                              | TA (Passenger) | : | Not regulated as a dangerous good |

## 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

| REACH Information:<br>- registered by our ups<br>- registered by us, and<br>- excluded from the re<br>- exempted from the re                     |                        | strea<br>d/or<br>gula | am suppliers, and/or<br>ation, and/or         |
|--|------------------------|-----------------------|---|
| REACH - Restrictions on the manufacture, placing on<br>the market and use of certain dangerous substances,<br>mixtures and articles (Annex XVII) |                        |                       | Not applicable                                |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).  |                        | :                     | None of the components are listed (=> 0.1 %). |
| REACH - List of substances sub<br>(Annex XIV)  | oject to authorisation | :                     | Not applicable                                |

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SCHÖNOX® TT S8



| Revision Date: 26.06.2024<br>Date of last issue: 24.06.2022                           | Version 2.1   | Print Date 26.06.2024   |
|---|---|---|
| Regulation (EC) on substance layer  | that deplete the ozone : Not applicable   |   |
| Regulation (EU) 2019/1021 or tants (recast)   | persistent organic pollu- : Not applicable  |   |
| Regulation (EU) No 649/2012<br>ment and the Council concern<br>of dangerous chemicals |   |   |
| Seveso III: Directive 2012/18/<br>jor-accident hazards involving                      | U of the European Parliament and of the Council<br>dangerous substances.<br>Not applicable  | on the control of ma-   |
| Volatile organic compounds  | : Law on the incentive tax for volatile organic c<br>(VOCV)<br>Volatile organic compounds (VOC) content: <<br>no VOC duties   |   |
|   | Directive 2010/75/EU of 24 November 2010 of<br>emissions (integrated pollution prevention and<br>Volatile organic compounds (VOC) content: <  | d control)  |
| MAL-Code-Number   | : 00-4 (1993)   |   |
| GISCODE   | : ZP1   |   |
| Product registration number   | : 3460839   |   |
| Waste Group   | : X   |   |
| Reference   | <ul> <li>Arbejdstilsynets bekendtgørelse nr. 301 af 13 fastsættelse af kodenumre.<br/>Bekendtgørelse nr. 21 af 16. januar 1996 af le stoffer og produkter.<br/>Arbejdstilsynets bekendtgørelse nr. 1793 af 1 arbejde med stoffer og materialer (kemiske ar Bekendtgørelse nr. 1794 af 18/12/2015 om så fremstillere, leverandører og importører mv. aterialer efter lov om arbejdsmiljø.<br/>Arbejdstilsynets bekendtgørelse nr. 239 af 6. unges arbejde.<br/>Miljøstyrelsens bekendtgørelse nr. 1369 af 25 begrænsning af VOC.<br/>AT-Vejledning C.0.1 August 2007: Grænseva og materialer.<br/>EU forordningen 1907/2006 (REACH).<br/>EU forordningen 1272/2008 (CLP).<br/>Bekendtgørelse nr. 48 af 13/01/2010 om affa</li> </ul> | ov om kemiske<br>8/12/2015 om<br>genser).<br>ærlige pligter for<br>af stoffer og ma-<br>april 2005 om<br>5/11/2015 om<br>ærdier for stoffer |



Version 2.1

Print Date 26.06.2024

EU forordning 453/2010 (Opdatering til CLP).

#### Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

| H315:Causes skin irritation.H318:Causes serious eye damage.H335:May cause respiratory irritation.Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureDK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Daragerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure Limit<br>PBTPHT:Presistent, bioaccumulative and toxic<br>Presistent, on 3400 (concentration<br>ration of the ConcentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 Bocember 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency <th>Full text of H-Statements</th> <th></th> <th></th> | Full text of H-Statements       |     |                                   |
|--|---------------------------------|-----|-----------------------------------|
| H335:May cause respiratory irritation.Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureDK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Ari Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Znovention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>REACHREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg- <b< td=""><td>H315</td><td>:</td><td>Causes skin irritation.</td></b<>            | H315                            | :   | Causes skin irritation.           |
| Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureDK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal concentration (concentration of a group of<br>test animals)LC50:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  | H318                            | :   | Causes serious eye damage.        |
| Eye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureDK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   | H335                            | :   | May cause respiratory irritation. |
| Skin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureDK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  | Full text of other abbreviation | ons |                                   |
| STOT SE:Specific target organ toxicity - single exposureDK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   |                                 | :   | Serious eye damage                |
| DK OEL:Denmark. Occupational Exposure LimitsDK OEL / S:Exposure period of 15 minutesDK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>REACHREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   |                                 | :   | Skin irritation                   |
| DK OEL / S: Exposure period of 15 minutesDK OEL / GV: Long term exposure limitADR: European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Presistent, bioaccumulative and toxicPNEC: Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 | :   |                                   |
| DK OEL / GV:Long term exposure limitADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Presistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   |                                 | :   |                                   |
| ADR:European Agreement concerning the International Carriage of<br>Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   |                                 | :   |                                   |
| Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Presistent, bioaccumulative and toxicPNEC: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-istration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency   |                                 | :   |                                   |
| CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Predicted no effect concentration<br>REACHREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   | ADR                             | :   |                                   |
| DNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Presistent, bioaccumulative and toxicPNEC: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 |     |                                   |
| EC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 | :   |                                   |
| GHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50:Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL:International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 | :   |                                   |
| <ul> <li>IATA : International Air Transport Association</li> <li>IMDG : International Maritime Code for Dangerous Goods</li> <li>LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)</li> <li>LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)</li> <li>MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978</li> <li>OEL : Occupational Exposure Limit</li> <li>PBT : Persistent, bioaccumulative and toxic</li> <li>PNEC : Predicted no effect concentration</li> <li>REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals Agency</li> </ul>  |                                 | :   |                                   |
| <ul> <li>IMDG : International Maritime Code for Dangerous Goods</li> <li>LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)</li> <li>LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)</li> <li>MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978</li> <li>OEL : Occupational Exposure Limit</li> <li>PBT : Persistent, bioaccumulative and toxic</li> <li>PNEC : Predicted no effect concentration</li> <li>REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency</li> </ul>   |                                 | :   |                                   |
| LD50: Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of<br>test animals)LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 | :   |                                   |
| LC50once, which causes the death of 50% (one half) of a group of<br>test animals)LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   |                                 | :   |                                   |
| LC50test animals)LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   | LD50                            | :   |                                   |
| LC50: Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 |     |                                   |
| <ul> <li>air that kills 50% of the test animals during the observation period)</li> <li>MARPOL</li> <li>International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978</li> <li>OEL</li> <li>Occupational Exposure Limit</li> <li>PBT</li> <li>Persistent, bioaccumulative and toxic</li> <li>PNEC</li> <li>Predicted no effect concentration</li> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency</li> </ul>  | 1.050                           |     |                                   |
| MARPOLperiod)MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   | LC50                            | :   |                                   |
| MARPOL: International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 |     | •                                 |
| OELShips, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 |     |                                   |
| OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  | MARPOL                          | :   |                                   |
| PBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   |                                 |     |                                   |
| PNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  | -                               | ÷   |                                   |
| REACH : Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency  |                                 | ÷   |                                   |
| and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   | -                               | ÷   |                                   |
| istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency   | REACH                           | :   |                                   |
| cals (REACH), establishing a European Chemicals Agency   |                                 |     |                                   |
|  |                                 |     |                                   |
| SVILC : Substances of very high Concern  | S//HC                           |     |                                   |
|  | 3100                            | •   | Substances of very high Concern   |

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SCHÖNOX® TT S8



| Revision Date: 26.06.2024<br>Date of last issue: 24.06.2022 | Version 2.1                                | Print Date 26.06.2024 |
|---|--|-----------------------|
| vPvB  | : Very persistent and very bioaccumulative |                       |

#### **Further information**

| Classification of | f the mixture: | Classification procedure: |  |  |
|-------------------|----------------|---------------------------|--|--|
| Skin Irrit. 2     | H315           | Calculation method        |  |  |
| Eye Dam. 1        | H318           | Calculation method        |  |  |
| STOT SE 3         | H335           | Calculation method        |  |  |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN