

Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SCHÖNOX® TX DUST REDUCED

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Mortar, Floor levelling compound

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Danmark A/S Hirsemarken 5
		3520 Farum
Telephone	:	+45 48 18 85 85
E-mail address of person	:	EHS@dk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Serious eye damage, Catego	ory '	1	H318: Causes serious eye damage.	
2.2 Label elements				
Labelling (REGULATION (E	C)	No 1272/200	8)	
Hazard pictograms	:	LE		
Signal word	:	Danger		
Hazard statements	:	H318	Causes serious eye damage.	
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.	
		P102	Keep out of reach of children.	
		P103	Read label before use.	
		Prevention	:	
		P280	Wear eye protection/ face protection.	
		Response:		
		P305 + P35	i1 + P338 + P310 IF IN EYES: Rinse cautiously	
			with water for several minutes. Remove con-	
Country DK 00000670177			1 / 1;	



Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

tact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		, , ,
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
baseoil - unspecified	64742-54-7	Asp. Tox. 1; H304	>= 1 - < 2,5
	265-157-1		
	01-2119484627-25-		
	XXXX		
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

For explanation of abbreviations see section 16.

Revision Date: 26.07.2023 Date of last issue: 19.02.2021

Version 3.0



SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled :	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and	effects, both acute and delayed			
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.			
Risks :	No known significant effects or hazards.			
	Causes serious eye damage.			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment :	Treat symptomatically.			

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

Print Date 26.07.2023

Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

ucts

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material t courses.	Try to prevent the material from entering drains or water courses.
		No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *				
Quartz (SiO2)	14808-60-7	GV (Respirable dust)	0,1 mg/m3 (Silica)	DK OEL				
	Further inforn	Further information: Means that the substance is included in the						
	list of substar dust.	nces considered card	cinogenic., List of	limit values for				
		GV (total)	0,3 mg/m3 (Silica)	DK OEL				
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL				
	Further inforn	ne substance is in	cluded in the					
	list of substar	list of substances considered carcinogenic.						
		S (total powder 0,6 mg/m3 and dust) (Silica)						
		S (inhalable frac- tion)	0,2 mg/m3 (Silica)	DK OEL				
baseoil - unspecified	64742-54-7	GV (mist and particles)	1 mg/m3	DK OEL				
		S (mist and parti- cles)	2 mg/m3	DK OEL				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Dust	GV	0,5 mg/m3	DK OEL
Respirable dust	GV	5 mg/m3	DK OEL
Dust	GV	10 mg/m3	DK OEL
Total dust	GV	3 mg/m3	DK OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Ensure adequate ventilation, especially in confined areas.



Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

i cisonai protective equipinent	
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit
	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P
	P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure control	bls
General advice :	Try to prevent the material from entering drains or water courses.

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid powder grey characteristic
Melting point/range / Freezing point	:	No data available
	:	Not applicable
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SCHÖNOX[®] TX DUST REDUCED

Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0



Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 11 Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,22 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SCHÖNOX[®] TX DUST REDUCED

Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0



10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

1

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SCHÖNOX[®] TX DUST REDUCED

Print Date 26.07.2023

Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should



Revision Date: 26.07.2023 Date of last issue: 19.02.2021		Version 3.0	Print Date 26.07.2
		at all times comply with the requirements protection and waste disposal legislation a local authority requirements. Avoid dispersal of spilled material and run soil, waterways, drains and sewers.	and any regional
European Waste Catalogue	:	16 03 03* inorganic wastes containing da	ngerous substances
Contaminated packaging	:	15 01 10* packaging containing residues oby dangerous substances	of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good				
14.6 Special precautions for use Not applicable	r			

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

Print Date 26.07.2023

Revision Date: 26.07.2023 Date of last issue: 19.02.2021 Version 3.0

SECTION 15: Regulatory information

15.1 Safety, health and environn REACH - Restrictions on the the market and use of certain mixtures and articles (Annex 2	nanufacture, placing on dangerous substances,	ion :	specific for the substance or mixture Not applicable	
International Chemical Weapon Schedules of Toxic Chemicals		:	Not applicable	
REACH - Candidate List of Su Concern for Authorisation (Art		:	None of the components are listed $(=> 0.1 \%)$.	
REACH - List of substances s (Annex XIV)	ubject to authorisation	:	Not applicable	
Regulation (EC) No 1005/200 plete the ozone layer	9 on substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 of tants (recast)	n persistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 ment and the Council concerr of dangerous chemicals		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or ation, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w	
MAL-Code-Number	: 00-3 (1993)			
GISCODE	: ZP1			
Product registration number	: 2251146			

Print Date 26.07.2023

Revision Date: 26.07.2023 Date of last issue: 19.02.2021	Version 3.0	Print Date 26.0
Waste Group	: X	
Reference	 Arbejdstilsynets bekendtgørelse nr. 301 fastsættelse af kodenumre. Bekendtgørelse nr. 21 af 16. januar 199 stoffer og produkter. Arbejdstilsynets bekendtgørelse nr. 179 arbejde med stoffer og materialer (kemi Bekendtgørelse nr. 1794 af 18/12/2015 fremstillere, leverandører og importører terialer efter lov om arbejdsmiljø. Arbejdstilsynets bekendtgørelse nr. 239 unges arbejde. Miljøstyrelsens bekendtgørelse nr. 1369 begrænsning af VOC. AT-Vejledning C.0.1 August 2007: Græf og materialer. EU forordningen 1907/2006 (REACH). EU forordningen 1272/2008 (CLP). Bekendtgørelse nr. 48 af 13/01/2010 on EU forordning 453/2010 (Opdatering til 	96 af lov om kemiske 93 af 18/12/2015 om ske agenser). om særlige pligter for mv. af stoffer og ma- 9 af 6. april 2005 om 9 af 25/11/2015 om nseværdier for stoffer

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full taxt of U Statements

Full te	xt of H-Statements		
H304 H315 H318 H335		:	May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Full te	xt of other abbreviatior	ns	
Asp. To Eye Da Skin In STOT DK OE DK OE DK OE ADR	am. rit. SE L L / S		Aspiration hazard Serious eye damage Skin irritation Specific target organ toxicity - single exposure Denmark. Occupational Exposure Limits Exposure period of 15 minutes Long term exposure limit European Agreement concerning the International Carriage of
CAS		:	Dangerous Goods by Road Chemical Abstracts Service

Revision Date: 26.07.2023 Date of last issue: 19.02.2021



DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Goods	
LD50	: Median lethal dosis (the amount of a material, given all once, which causes the death of 50% (one half) of a gro test animals)	
LC50	: Median lethal concentration (concentrations of the cher air that kills 50% of the test animals during the observa- period)	
MARPOL	: International Convention for the Prevention of Pollution Ships, 1973 as modified by the Protocol of 1978	from
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parlian and of the Council of 18 December 2006 concerning the istration, Evaluation, Authorisation and Restriction of Cl cals (REACH), establishing a European Chemicals Age	e Reg- nemi-
SVHC	: Substances of Very High Concern	,
vPvB	: Very persistent and very bioaccumulative	

Version 3.0

Further information

Classification of the mixture:		Classification procedure:
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN