

SAFETY DATA SHEET FOR DAFA Gulvpap 500				
Doc. No. 1	Date: 04.09.2023	No. Ref. 1	Page. 1	

1. Identification of the product/company

Product identification: DAFA Gulvpap 500

Company identification

Name:

Address:

DAFA Building Soliutions Holmstrupgaardvej 1 8220 Brabrand

Telephone no:

+45 87 47 66 66

E-mail address:

dbs@dafa-build.com

2. Composition/information on ingradients

Recycling 80%

Textiles 20%

3. Hazards identification

The use of the product must be in accordance with the manufacturer's recommendations and current regulations for the facility in which it is be used.

4. First aid measure

Under normal conditions

Inhalation: Get out into the fresh air. Leave the area of exposure and stay away until the coughing stops. Other measures are usually not necessary, but if symptoms persist, contact your doctor.

Consumption: This product is not intended to be eaten or consumed. Contact your doctor if you experience stomach disorders.



SAFETY DATA SHEET FOR DAFA Gulvpap 500				
Doc. No. 1	Date: 04.09.2023	No. Ref. 1	Page. 2	

Eye contact: In case of contact, do not rub or scratch your eyes. To prevent mechanical irritation, rinse thoroughly with water for 15 minutes. If irritation persists, consult a doctor.

5. Firefighting measures	
General dangerous fire:	Unknown
Extinguishing media:	Extinguish with water or CO2 extinguisher
Special procedure for extinguishing	
fires:	N/A
Hazardous combustion products:	No data available
Automatic ignition:	N/A
Flash point:	Unspecified
Flammability classification:	Flammable
Combustion rate:	Unspecified
6. Accidental release prevention me	asures

Sweep u por collect materials and place tchem in a suitable waste container for disposal or recovery.

Use vacuuming or wet sweeping methods instead of dry sweeping.

Never discharge large releases directly into sewers or Surface water.

7. Handling and storage

Service: Provide personal protective equipment and the health and safety of everyone in the room.

Storage: Dry, ventilated warehouse away from sources of heat, moisture.



SAFETY DATA SHEET FOR DAFA Gulvpap 500				
Doc. No. 1	Date: 04.09.2023	No. Ref. 1	Page. 3	

8. Exposure controls/personal protection

Personal protective equipment

Eye: Wear eye protection, goggles or safety glasses to avoid possible eye contact.

Skin: Wear gloves and protective clothing to prevent repeated or prolonged skin contact.

General: The choice of personal protective equipment depends on the environmental work type, working conditions and the type of construction and finishing work carried out.

9. Physical and chemical properties

Appearance :	Solid, in rolls	
Odour :	Virtually odourless	
рН:	N/A	
Boiling point / boiling range :	N/A	
Melting point :	N/A	
Flash point :	N/A	
Spontaneous combustibility:	N/A	
Explosive properties :	N/A	
Oxidising properties:	N/A	
Vapour pressure:	N/A	
Relative density :	Unspecified	
Solubility – Solubility in water :	Insoluble in water, loses its absorption properties in contact with liqid substances.	



SAFETY DATA SHEET FOR DAFA Gulvpap 500				
Doc. No. 1	Date: 04.09.2023	No. Ref. 1	Page. 4	

10. Stability and reactivity		

Reactivity:		No data available
Chemical stability:		Stable in dry condition
Potential for hazahdous reaction:		No data available
Condition to be avoided:		< 10°C and > 50°C temperature.
Incompatible material:		Unknown
Name of hazardous decomposition pro-	oducts:	Unknown
11. Toxicological information		
Acute toxicity:	N/A	
Chronic effects / carcinogenicity:	N/A	
12. Ecological information		
Environmental toxicity:	This product has no known negative impact on the ecology.	
Toxicity value:	N/A	
13. Disposal considerations		

Waste disposal method: Disposal of materials according to national regulations.

Never discharge directly into drains or Surface water. Follow guidelines for accaptable disposal proctices.

14. Transportation information

Not classified as hazardous for transport.



SAFETY DATA SHEET FOR DAFA Gulvpap 500				
Doc. No. 1	Date: 04.09.2023	No. Ref. 1	Page. 5	

15. Regulatory information

None

16. Manufacturer's recommendations for the use of construction board.

The procective cardboard (B.BK.60111.0420.2023) is intended for Surface protection during renovation works. It is designed to provide antidirt and scratch protection for any floors whose surfaces are covered with hard materials, e.g. tiles, panels or resins. Firstly, it is recommended to thoroughly clean the protected surface of the smallest particles that may cause damage to the protected surface. Then, the cardboard should be distributed evenly on the protected Surface, and the individual pieces should be glued together. We recommend ensuring a 5 cm uverlap or possibly executing glued butt joints. Before attaching the cardboard to the ground Surface, please wait for a while so that it absorbs some moisture from the environment. This will make it easier to fit the cardboard to the surface. The key to ensuring the effectiveness of Surface protection is the accurate and tight fixing of the cardboard, so that no impurities can get underneath it and so that it doesn't move during the works. The cardboard is characterized by high absorption, allowing for quick removal of any spilled liquids. Hawever, it is necessary to keep in mind that it will lose its protective properties as more liquids are absorbed. The protective cardboard does not have shock - absorbing properties and does not protect against mechanical damage caused by aharp edges or falling objects. We would like to remind you that during any construction or renovation works, it is necessary to take care of personal protective equipment and occupational health and satety of all persons staying in the premises. After completing the renovation works, please dispose of the cardboard in a paper container.

17. Other information

Disclaimer:

Since the conditions or methods of use are beyond our control, we are not responsible for misuse of the product.

Follow the manufacturer's recommendations and legal regulations for the facility where it is to be used.

This document is considered true and accurate.

- END-