

SAFETY DATA SHEET SelectaDNA Metallic DNA Aerosol

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name SelectaDNA Metallic DNA Aerosol
Trade Name SelectaDNA Metallic DNA Aerosol
Product code 19626 (150cc)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) SelectaDNA Metallic DNA Aerosol is a marker used to covertly identify items of property in critical infrastructure such as valuable metals and copper cable, usually outdoors. Used in conjunction with SelectaDNA warning signs to provide a proven credible theft deterrent.

Uses Advised Against The aerosol should not be installed as part of any other security system. Not to be used as part of an automatically triggered security system.

1.3 Details of the supplier of the safety data sheet

Company Identification Selectamark Security Systems plc
Address 1 Locks Court
429 Crofton Road
Locksbottom
Kent BR6 8NL
United Kingdom.
Telephone +44 1689 860757
Fax +44 1689 860693
E-mail sds@selectamark.co.uk

1.4 Emergency telephone number

Company (United Kingdom) +44 1689 860757 (Office hours)
NHS Direct +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Aerosol 1 :Extremely flammable aerosol. Pressurised container: May burst if heated.
Skin Irrit. 2 :Causes skin irritation.
Eye Dam. 1 :Causes serious eye damage.
STOT SE 3 :May cause drowsiness or dizziness.
Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

Product Name SelectaDNA Metallic DNA Aerosol
Hazard Pictogram(s) According to Regulation (EC) No. 1272/2008 (CLP)



GHS02



GHS05



GHS07

Signal Word(s) Danger
Hazard Statement(s)

H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H336: May cause drowsiness or dizziness.
H412: Harmful to aquatic life with long lasting effects.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261: Avoid breathing spray.
P302+P352: IF ON SKIN: Wash with plenty of water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405: Store locked up.
Additional Information Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material. Keep out of reach of children.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SAFETY DATA SHEET
SelectaDNA Metallic DNA Aerosol

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

The nickel present in the product is in the form of microdots. These microdots are to be regarded as articles as during their production, they are given a special shape, surface or design, which determines their function to a greater degree than does their chemical composition. Nickel microdots are not considered to be hazardous by inhalation since not only is there a low concentration but they are hexagonal in shape and approx. 0.5mm in diameter which is too large to represent a significant inhalation risk.

This product contains: 0.1% ceramic based machine readable material - Not classified.

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Dimethyl ether	115-10-6	204-065-8 01-2119472128-37-XXXX	30-50	Flam. Gas 1 H220 Press. Gas (Liq.) H280	GHS02 GHS04
Xylene	1330-20-7	215-535-7 01-2119488216-32-XXXX	10-20	Flam. Liq. 3 H226 Acute Tox. 4 H312 Skin Irrit. 2 H315 Acute Tox. 4 H332	GHS02 GHS07
Solvent naphtha (petroleum), light arom.	64742-95-6	265-199-0 01-2119486773-24-XXXX	10-20	Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
n-butyl acetate	123-86-4	204-658-1 01-2119485493-29-XXXX	1-10	Flam. Liq. 3 H226 STOT SE 3 H336 EUH066	GHS02 GHS07
Ethylbenzene	100-41-4	202-849-4	<5	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Acute Tox. 4 H332 STOT RE 2 H373	GHS02 GHS08 GHS07
Butan-1-ol	71-36-3	200-751-6 01-2119484630-38-XXXX	<5	Flam. Liq. 3 H226 Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335 STOT SE 3 H336	GHS02 GHS05 GHS07
1-methoxy-2-propanol	107-98-2	203-539-1 01-2119457435-35-XXXX	<2	Flam. Liq. 3 H226 STOT SE 3 H336	GHS02 GHS07
Ethanediol	107-21-1	203-473-3 01-2119456816-28-XXXX	<0.5	Acute Tox. 4 H302 STOT RE 2 H373	GHS08 GHS07
Nickel powder	7440-02-0	231-111-4	<0.001	Skin Sens. 1 H317 Carc. 2 H351 STOT RE 1 H372 Aquatic Chronic 3 H412	GHS08 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
Xylene	1330-20-7			Acute Tox. 4 (H312) : 1100 Acute Tox. 4 (H332) : 1.500
Ethylbenzene	100-41-4			Acute Tox. 4 (H332) : 1.500
Butan-1-ol	71-36-3			Acute Tox. 4 (H302) : 500
Ethanediol	107-21-1			Acute Tox. 4 (H302) : 500

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact	Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

SAFETY DATA SHEET
SelectaDNA Metallic DNA Aerosol

- Ingestion Unlikely route of exposure. Get medical advice/attention if you feel unwell.
- 4.2 Most important symptoms and effects, both acute and delayed**
 Causes skin irritation. Causes serious eye damage. May cause drowsiness or dizziness.
- 4.3 Indication of any immediate medical attention and special treatment needed**
 Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

5.1 Extinguishing media

Suitable Extinguishing media Water spray, foam, dry powder or CO₂.
 Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

Eliminate sources of ignition. Ensure adequate ventilation. Avoid contact with skin and eyes. Wear protective gloves/protective clothing/eye protection/face protection.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13.
 Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Use only non-sparking tools. Keep out of reach of children. Use only outdoors or in a well-ventilated area. Avoid breathing spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Store locked up. Store in a well-ventilated place. Keep container tightly closed.
 Storage life Ambient. Do not expose to temperatures exceeding 50°C/ 122°F.
 Incompatible materials Stable under normal conditions.
 None known.

7.3 Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this Section 7 is to be observed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTCL (8 hr TWA ppm)	LTCL (8 hr TWA mg/m ³)	STEL ppm	STEL (mg/m ³)	Note
Dimethyl ether	115-10-6	400	766	500	958	
Xylene, o-,m-,p- or mixed isomers	1330-20-7	50	220	100	441	Sk, BMGV
Butyl acetate	123-86-4	150	724	200	966	
Ethylbenzene	100-41-4	100	441	125	552	Sk
Butan-1-ol	71-36-3			50	154	Sk
1-Methoxypropan-2-ol	107-98-2	100	375	150	560	Sk
Ethane-1,2-diol Particulate	107-21-1		10			Sk
Ethane-1,2-diol vapour	107-21-1	20	52	40	104	Sk

SAFETY DATA SHEET
SelectaDNA Metallic DNA Aerosol

Nickel and its inorganic compounds (except nickel tetracarbonyl): water-soluble nickel compounds (as Ni)	7440-02-0		0.1			(h)
--	-----------	--	-----	--	--	-----

Region
United Kingdom

Source
UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark
Sk

Notes
Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

BMGV
(h)

Biological monitoring guidance values are listed in Table 2.
Sk, Carc (nickel oxides and sulphides) Sen (nickel sulphate)

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
Xylene, o-, m-, p- or mixed isomers	1330-20-7	Post shift	urine	methyl hippuric acid	650 mmol methyl hippuric acid/mol creatinine	

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Not normally required.
Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection

Not normally required.
Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Aerosol
Colour	Clear/Yellowish.
Odour	Solvent.
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	0.8-13 Vol-%
Flash Point	-41°C
Auto-ignition temperature	235°C
Decomposition Temperature	Not available.
pH	Not available.
Kinematic Viscosity	Not applicable.
Solubility	Solubility (Water) : Insoluble. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not applicable.
Vapour pressure	Not available.
Density and/or relative density	Not applicable.
Relative vapour density	Not applicable.
Particle characteristics	Not applicable.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity** Stable under normal conditions.
- 10.2 Chemical Stability** Stable under normal conditions.
- 10.3 Possibility of hazardous reactions** No hazardous reactions known if used for its intended purpose.
- 10.4 Conditions to avoid** Keep away from heat, sources of ignition and direct sunlight.
- 10.5 Incompatible materials** Not known.
- 10.6 Hazardous decomposition products** No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity - Ingestion Calculation method : Not classified.
 Low oral toxicity.
 Calculated acute toxicity estimate (ATE): 10020.04
- Acute toxicity - Skin Contact Calculation method : Not classified.
 Low acute toxicity.
 Calculated acute toxicity estimate (ATE): 7812.5
- Acute toxicity - Inhalation Calculation method : Not classified.
 Low acute toxicity.
 Calculated acute toxicity estimate (ATE): 7.99
- Skin corrosion/irritation Calculation method : Causes skin irritation. No data.
- Serious eye damage/irritation Calculation method : Causes serious eye damage. No data.
- Skin sensitization data Calculation method : Not classified.
 It is not a skin sensitiser.
- Respiratory sensitization data Calculation method : Not classified.
- Germ cell mutagenicity Calculation method : Not classified.
 There is no evidence of mutagenic potential.
- Carcinogenicity Calculation method : Not classified.
 No evidence of carcinogenicity.
- Reproductive toxicity Calculation method : Not classified.
 No evidence of reproductive effects.
- Lactation Calculation method : Not classified.
- STOT - single exposure Calculation method : May cause drowsiness or dizziness. No data.
- STOT - repeated exposure Calculation method : Not classified.
- Aspiration hazard Calculation method : Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

- Toxicity - Aquatic invertebrates Harmful to aquatic life with long lasting effects.
 No data.
- Toxicity - Fish No data.
- Toxicity - Algae No data.
- Toxicity - Sediment Compartment Not classified.
- Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

The product is biodegradable. Unlikely to persist.

12.3 Bioaccumulative potential

The product has low potential for bioaccumulation.

12.4 Mobility in soil

Insoluble in water. The product is predicted to have low mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

UN No. 1950

14.2 UN proper shipping name

UN proper shipping name AEROSOLS

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class

2

ADR Classification Code

5F

Special Provisions

190, 327, 344, 625

Limited Quantities

1 L

Excepted Quantities

E0

Mixed Packing Instructions for Packages P207 LP200

Special Packing Provisions for Packages PP87 RR6 L2

Mixed Packing Instructions for Packages MP9

ADR Transport Category

2

Tunnel Restriction Code

D

Special Provisions for Carriage -

V14

Packages

Special Provisions for Carriage - Loading, CV9 CV12

Unloading and Handling

Special Provisions for Carriage -

S2

Operation

IMDG

IMDG Class

2

Special Provisions

190, 327, 344, 625

Limited Quantities

1 L

Excepted Quantities

E0

Mixed Packing Instructions for Packages P207 LP200

Special Packing Provisions for Packages PP87 RR6 L2

IMDG EMS F-D, S-U

Stowage and Handling

SW1 SW22

Segregation

SG69

ICAO/IATA

IATA Proper Shipping Name

AEROSOLS

Excepted Quantities

E0

Passenger and Cargo Aircraft Limited

Y203

Quantities Packing Instructions

Passenger and Cargo Aircraft Limited

30Kg

Quantities Max net Qty

Passenger and Cargo Aircraft Packing

203

Instructions

Passenger and Cargo Aircraft Max net

75Kg

Qty

Cargo Aircraft Packing Instructions

203

Cargo Aircraft Max net Qty

150Kg

Special Provisions

A145, A167, A802

Emergency Response Guidebook (ERG)

10L

Code

Labels

Labels

2.1



14.4 Packing group

Packing group

Not applicable.

14.5 Environmental hazards

Environmental hazards

Not classified as a Marine Pollutant.

SAFETY DATA SHEET
SelectaDNA Metallic DNA Aerosol

14.6 Special precautions for user

Special precautions for user

Not known.

14.7 Maritime transport in bulk according to IMO instruments

No information available

SECTION 15: REGULATORY INFORMATION
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation

Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Nickel powder (7440-02-0), Dimethyl ether (115-10-6), Xylene (1330-20-7), n-butyl acetate (123-86-4), Ethylbenzene (100-41-4), Butan-1-ol (71-36-3), 1-methoxy-2-propanol (107-98-2), Ethanediol (107-21-1)

Community Rolling Action Plan (CoRAP) Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants

Xylene (1330-20-7), Butan-1-ol (71-36-3)

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer

Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals

Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer

Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals

Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals

Not listed

National regulations

Other

Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1-16

LEGEND

Hazard Pictogram(s)



GHS02



GHS05



GHS07

GHS07: GHS: Exclamation mark
 GHS08: GHS: Health hazard
 GHS09: GHS: Environment

Hazard classification

Aerosol 1 : Aerosol, Category 1
 Flam. Gas 1 : Flammable gas, Category 1
 Flam. Liq. 2 : Flammable liquid, Category 2
 Flam. Liq. 3 : Flammable liquid, Category 3
 Press. Gas (Liq.) : Gases under pressure, Liquefied gas
 Acute Tox. 4 : Acute toxicity, Category 4
 Asp. Tox. 1 : Aspiration hazard, Category 1
 Skin Irrit. 2 : Skin corrosion/irritation, Category 2
 Skin Sens. 1 : Skin sensitization, Category 1
 Eye Dam. 1 : Serious eye damage/irritation, Category 1
 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
 Carc. 2 : Carcinogenicity, Category 2
 STOT RE 1 : Specific target organ toxicity — repeated exposure, Category 1
 STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2
 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H222: Extremely flammable aerosol.
 H225: Highly flammable liquid and vapour.
 H226: Flammable liquid and vapour.
 H229: Pressurised container: May burst if heated.
 H302: Harmful if swallowed.
 H304: May be fatal if swallowed and enters airways.
 H312: Harmful in contact with skin.



SAFETY DATA SHEET

SelectaDNA Metallic DNA Aerosol

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.
H351: Suspected of causing cancer.
H372: Causes damage to organs through prolonged or repeated exposure.
H373: May cause damage to organs through prolonged or repeated exposure.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.
EUH066: Repeated exposure may cause skin dryness or cracking.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211: Do not spray on an open flame or other ignition source.
P251: Do not pierce or burn, even after use.
P261: Avoid breathing spray.
P264: Wash hands and exposed skin thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTRE/doctor.
P312: Call a POISON CENTRE/doctor if you feel unwell.
P321: Specific treatment (see Medical Advice on this label).
P332+P313: If skin irritation occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P405: Store locked up.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
EC : European Community
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative
Regulation (EC) No. 1272/2008 (CLP)

Key literature references and sources for data used to compile the SDS
Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.
Selectamark Security Systems plc gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Selectamark Security Systems plc accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.