

LITHIUM BATTERIES TEST SUMMARY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF UN MANUAL OF TESTS AND CRITERIA

1	Product Manufacturer	Robert Bosch Power Tools GmbH Max-Lang-Straße 40-46 70771 Leinfelden-Echterdingen Germany +49-711-400-40990 kontakt@bosch.de www.bosch-pt.com
2	Model	Bosch Battery Pack GBA 18V
3	Voltage rating	18V
4	Ah rating	1.3 Ah / 1.5Ah / 2.0Ah / 2.5Ah 2.6Ah / 3.0Ah / 4.0Ah 5.0Ah /5.5Ah 6.0Ah / 6.3Ah / 7.0Ah 8.0Ah 12.0Ah
5	Wh rating	23.4Wh / 27.0 Wh / 36.0 Wh / 45.0 Wh 46.8 Wh / 54.0 Wh 72.0 Wh / 90.0 Wh / 99.0Wh 108.0Wh / 113.4Wh / 126.0Wh / 144.0Wh 216.0Wh

This model of Lithium ion batteries have been succesfully tested and comply with the UN Model Regulations, Manual of Test and Criteria, Part III, subsection 38.3

PERFORMED TESTS		RESULTS
38.3.4.1 T1	Altitude Simulation	Passed
38.3.4.2 T2	Thermal Test	Passed
38.3.4.3 T3	Vibration	Passed
38.3.4.4 T4	Shock	Passed
38.3.4.5 T5	External Short Circuit	Passed
38.3.4.7 T7	Overcharge	Passed

(Note that tests T6 and T8 are not applicable to batteries.)

Revision Date: 23.05.2024

Revision Number: 15.0

i.V. pki, BOSCH, DE, A, N, Andreas.Schneider6
Digitally signed by pki, BOSCH, DE, A, N, Andreas.Schneider6
Date: 2024.06.06 07:33:49 +02'00'

Andreas Schneider
Senior Vice President Engineering (PT-GT/NE)
Global Tools

i.V. pki, BOSCH, DE, M, I, Mischa.Nicklaus
Digitally signed by pki, BOSCH, DE, M, I, Mischa.Nicklaus
Date: 2024.06.05 17:44:08 +02'00'

Dr. Mischa Nicklaus
Director (PT-GT/ENC)
Engineering Batteries and Chargers

The UN 38.3 tests were performed by one of the following test houses and were tested to UN Manual Test and Criteria Revision 3 Amendment 1 or subsequent revisions or amendments.

<p>Robert Bosch Power Tools GmbH PT/EST Max-Lang Str. 40-46 70771 Leinfelden-Echterdingen Germany +49 (0)711-400-40990 kontakt@bosch.de www.bosch-pt.com</p>	<p>Tüv Süd PSB Pte. Ltd No.1 Science Park Drive Singapore 118221 Singapore +65 6427 4700 info.sg@tuvsud.com www.tuev-sued.de/company/locations/asia</p>
<p>SGS Germany GmbH Hofmannstr. 50 81379 München Germany +49 (0) 89 1250 406 4513 sgs.germany@sgs.com www.sgsgroup.de</p>	<p>SLG Prüf und Zertifizierungs GmbH Burgstädter Str. 20 09232 Hartmannsdorf Germany +49 (0) 3722 73230 service@slg.de.com www.slg.de.com</p>
<p>SAMSUNG SDI CO LTD 467 BEONYEONG-RO SEOBUK-GU CHEONAN-SI, CHUNGHEONGNAM-DO 31086 KOREA +82-41-560-3114 sdimaster@samsung.com www.samsungsdi.com</p>	<p>VDE Prüf und Zertifizierungsinstitut GmbH Goethering 43 63067 Offenbach / Main Germany +49 (0) 69 8306-0 vde-institut@vde.com www.vde.com</p>
<p>Tüv Rheinland InterCert Kft. Vaci ut 48/A-B 1132 Budapest Hungary +36 1461 1100 tuv@hu.tuv.com www.tuv.hu</p>	<p>Dynamis Batterien GmbH Brühlstr. 15 78465 Dettingen / Konstanz Germany +049 (0) 7533 936690 info@dynamis-batterien.de www.dynamis-batterien.de</p>
<p>SGS Malaysia Sdn. Bhd. PLO 581, Jalan MIEL 2, Kawasan MIEL Pasir Gudang Fasa 4 Pasir Gudang, Johor, 81700 Malaysia +6(07) 2511 684 sgs.malaysia@sgs.com www.sgs.com</p>	

LITHIUM CELLS OR BATTERIES TEST SUMMARY
IN ACCORDANCE WITH SUB-SECTION 38.3
OF UN MANUAL OF TESTS AND CRITERIA
Product Test Information

Model numbers	Physical Description	Battery weight (kg)	Wh rating	Test report number	Test report date	Applicable UN Numbers acc. to UN Model Regulations	Delivered at max. 30% State of Charge
GBA 18V 1.3 Ah	Detachable slide in lithium-ion accumulator	0,328 0,336 0,323	23.4	D1HQ0003 70711 1151-11-MM-11-PP001_1	18.01.2011 06.07.2011 21.10.2011	UN3480/ UN3481	yes
GBA 18V 1.5 Ah BAT610 BAT610G BAT611	Detachable slide in lithium-ion accumulator	0,335 0,330 0,324 0,329 0,347 0,333	27.0	UN_T1-T5 und T7_MR_L_18V_L_G3_1Ah5_SDI15R_1st_P rePilot 90711 1087-12-MM-12-PP001 7191118958-EEC15 7191186692 - EEC18 7191179565 - EEC18 7191221970-EEC19	01.09.2010 06.07.2011 27.07.2012 12.08.2015 16.03.2018 23.07.2018 24.10.2019	UN3480/ UN3481	Yes
GBA 18V 2.0 Ah BAT612 B20V20	Detachable slide in lithium-ion accumulator	0,530 0,351 0,349 0,332 0,354 0,359 0,343 0,342 0,355 0,338 0,354 0,337 0,346 0,338 0,346 0,346 0,342	36.0	UN_014_19 1156-12-MM-MM-13-PP001 1157-12-MM-13-PP001 1102-13-MM-13-PP001 7191110841-EEC15-03_18V 2.0Ah (RX135) Test Report 7191129259-EEC16 7191138517-EEC16 7191195781 - EEC18 7191185676 - EEC18 CRSSFTY/00001(AD1)/20 28253332 001 CRSSFTY/00002/20 CRSSFTY/00013/20 CPSFTY/00028/22 CPSFTY/00042/22 CPSFTY/00029/23 HU24NKTY 001	01.09.2014 07.01.2013 08.01.2013 09.09.2013 15.04.2015 28.01.2016 22.06.2016 12.11.2018 13.07.2018 29.05.2020 25.06.2020 19.06.2020 31.07.2020 23.06.2022 29.11.2022 17.10.2023 04.04.2024	UN3480/ UN3481	Yes



GBA 18V 2.5 Ah	Detachable slide in lithium-ion accumulator or	0,547	45.0	7191122247-EEC15	03.11.2015	UN3480/ UN3481	Yes
GBA 18V 2.6 Ah	Detachable slide in lithium-ion accumulator or	0,580 0,590	46.8	22042011 110711	20.04.2011 07.07.2011	UN3480/ UN3481	Yes
GBA 18V 3.0 Ah	Detachable slide in lithium-ion accumulator or	0,542 0,596 0,598 0,590 0,591 0,360 0,570 0605	54.0	7191133214-EEC16 7191182265 - EEC18 1169-10-MM-11-PP002 UN_T1-T5 T7_MR_XL_18V_3Ah0_SDI15Q_G2_SCM 7191156955 - EEC17 7191141107-EEC16 CRSSFTY/00017/20 CPSFTY/00035/22	29.03.2016 11.10.2018 19.01.2011 31.10.2010 06.04.2017 22.06.2016 27.11.2020 09.09.2022	UN3480/ UN3481	Yes
GBA 18V 4.0 Ah GBA18V40	Detachable slide in lithium-ion accumulator or	0,797 0,797 0,609 0,600 0,612 0,623 0,611 0,618 0,600 0,600 0,620 0,527 0,537 0,602 0,603 0,593 0,600 0,537 0,533 0,603 0,533 0,537 0,530 0,575 0,534 0,567 0,604 0,556 0,595 0,560 0,604 0,642 0,640	72.0	7191140894 - EEC16 7191125542-EEC15 1170-12-MM-13-PP001 7191121396-EEC15 1104-13-MM-13-PP001 7191129263-EEC16 UN_014_17 7191109813-EEC15 7191145395 - EEC16 7191145984 - EEC16 7191146196 - EEC16 7191205584 - EEC19 UN_TR 28246834 001 7191198628 - EEC18 28253238 001 CRSSFTY/00016/20 CRSSFTY/00018/20 HU21Z8L0 001 CPSFTY/00008/21 HU21U493 001 CPSFTY/00018/21 HU21Z8L0 002 2021-40451-BESS-1-Rev.1 HU21Z8L0 003 HU22MVDB 001 CPSFTY/00021/22 CPSFTY/00004/23 CPSFTY/00022/23 HU23XFWL 001 HU2315ZZ 001 CPSFTY/00054/23 CPSFTY/00056/23 HU23XFWL 002	12.07.2016 30.09.2015 14.01.2013 28.09.2015 11.09.2013 28.01.2016 29.07.2014 15.04.2015 19.08.2016 05.10.2016 14.10.2016 28.01.2019 10.10.2018 19.10.2018 25.06.2020 09.10.2020 09.12.2020 14.04.2021 19.03.2021 29.09.2021 09.09.2021 24.08.2021 30.08.2021 07.02.2022 14.11.2022 01.06.2022 20.04.2023 09.10.2023 20.12.2023 10.11.2023 19.02.2024 15.02.2024 19.03.2024	UN3480/ UN3481	yes



GBA 18V 5.0 Ah	Detachable slide in lithium-ion accumulator or	0,623	90.0	7191145588-EEC16	30.08.2016	UN3480/ UN3481	Yes
		0,630		7191145985 - EEC16	06.10.2016		
		0,626		UN_014_15	18.06.2014		
		0,620		UN_T1-T5 T7_MR XL 18V 5Ah0 SCM	21.11.2013		
		0,626		Sanyo NSX 133 PgP CW43_2013			
		0,632		7191133829-EEC16	30.03.2016		
		0,667		7191212277 - EEC19	24.06.2019		
		0,605		28253283 001	23.06.2020		
		0,667		CRSSFTY/00015/20	23.09.2020		
		0,607		HU21M43X 001	04.03.2021		
		0,600		CPSFTY/00015/21	26.07.2021		
		0,667		CRSSFTY/00005/21	05.02.2021		
		0,609		HU21M43X 002	18.02.2022		
0,611	CPSFTY/00029/22	29.06.2022					
0,648	CPSFTY/00035/23	08.12.2023					
0,647	CPSFTY/00057/23	15.02.2024					
		0,647		HU24O3TH 001	19.03.2024		
GBA 18V 5.5 Ah	Detachable slide in lithium-ion accumulator or	0,900	99.0	28252834 001	06.05.2020	UN3480/ UN3481	Yes
		0,900		HU21XL0Z 001	26.10.2021		
		0,980		HU21XL0Z 003	25.03.2022		
		1,010		HU22BNDV 001	09.12.2022		
		0,960		HU22BNDV 002	17.04.2023		
GBA 18V 6.0 Ah GBA18V60	Detachable slide in lithium-ion accumulator or	0,830	108.0	7191145489 - EEC16	18.08.2016	UN3480/ UN3481	Yes
		0,628		7191091638_EEC14	12.08.2014		
		0,634		7191143768-EEC16	22.09.2016		
		0,638		7191187518 - EEC18	04.09.2018		
		0,629		7191200830 - EEC18	29.11.2019		
		0,633		CPSFTY/00020/21	27.09.2021		
		1,003		CPSFTY/00041/22	07.11.2022		
GBA 18V 6.3 Ah GBA18V63	Detachable slide in lithium-ion accumulator or	0,803	113.4	7191136781-EEC16	13.05.2016	UN3480/ UN3481	Yes
GBA 18V 7.0 Ah	Detachable slide in lithium-ion accumulator or	0,833	126.0	TR 28238951 001	09.06.2017	UN3480/ UN3481	Yes
GBA 18V 8.0 Ah GBA18V80	Detachable slide in lithium-ion accumulator or	0,990	144.0	259732-TL7-2	14.03.2019	UN3480/ UN3481	Yes
		0,986		28247959 002	26.03.2019		
		0,986		HU212FFJ 002	08.11.2021		
		0,962		CPSFTY/00021/21	09.09.2021		
		0,990		2021-40462-BESS-1	26.08.2021		
		0,986		HU212FFJ 004	09.12.2021		
		0,986		HU212FFJ 005	02.06.2022		
		0,980		CPSFTY/00016/22	12.05.2022		
		1,010		HU22K26C 001	09.12.2022		
		1,003		CPSFTY/00051/22	15.02.2023		
		0,979		CPSFTY/00037/22	21.10.2022		
		0,986		HU22K26C 002	26.05.2023		
		0,987		CPSFTY/00023/23	06.10.2023		
		0,998		HU22K26C 003	27.09.2023		
		0,998		HU22K26C 004	02.11.2023		
GBA 18V 12.0 Ah GBA18V120	Detachable slide in lithium-ion accumulator or	1,380	216.0	259043-TL7-1	12.02.2019	UN3480/ UN3481	Yes
		1,370		CRSSFTY/00007/21	08.03.2021		
		1,400		CPSFTY/00031/21	25.10.2021		
		1,377		CPSFTY/00019/21	09.09.2021		
		1,407		CPSFTY/00038/22	21.10.2022		

All lithium batteries and cells shown in before-mentioned table were designed and manufactured in accordance with Section 2.9.4 of the UN Recommendations on the Transport of Dangerous Goods.