



BASIC

FS670

BRANTA 1 ANCHOR LINE

FS670 BRANTA 1 is an anchor line composed of an 11mm rope and a stainless steel block with high tensile strength and an energy absorber.

TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 100kg
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - EN353-2:2002
INTRASTAT	56090000

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	PA, PA6, PES, Steel
ROPE TYPE	PA (core) + PES (cover) 11 mm static
DEVICE	ST rope grab
MAX LENGTH	200 m
ENERGY ABSORBER	Yes
SEAMS PROTECTOR	Yes
SHARP EDGE TESTED	No

WEIGHT PER SIZE | EAN PER SIZE

FS670-5M	- 1.60kg	- 5605423801255
FS670-MM-10M	- 2.70kg	- 5605423800500
FS670-LL-20M	- 2.70kg	- 5605423690101
FS670-LL-15M	- 2.50kg	- 5605423802382
FS670-LL-10M	- 4.30kg	- 5605423801606
FS670-50M	- 6.20kg	- 5605423753479
FS670-30M	- 6.30kg	- 5605423754100
FS670-25M	- 3.90kg	- 5605423753462
FS670-20M	- 4.60kg	- 5605423470437
FS670-15M	- 2.70kg	- 5605423753448
FS670-10M	- 3.10kg	- 5605423805475



BASIC

FS670

BRANTA 1 ANCHOR LINE

FS670 BRANTA 1 é uma linha de ancoragem composta por um corda 11mm e um bloqueador em aço inoxidável com alta resistência à tração e um absorvedor de energia.

Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 100kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - EN353-2:2002
INTRASTAT	56090000

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	PA, PA6, PES, Steel
TIPO DE CORDA	PA (core) + PES (cover) 11 mm static
DISPOSITIVO	ST rope grab
COMPRIMENTO MÁX	200 m
ABSORBEDOR DE ENERGIA	Yes
PROTETOR DE COSTURAS	Yes
TESTADO ARESTAS CORTANTES	No

PESO POR TAMANHO | EAN POR TAMANHO

FS670-5M - 1.60kg - 5605423801255
FS670-MM-10M - 2.70kg - 5605423800500
FS670-LL-20M - 2.70kg - 5605423690101
FS670-LL-15M - 2.50kg - 5605423802382
FS670-LL-10M - 4.30kg - 5605423801606
FS670-50M - 6.20kg - 5605423753479
FS670-30M - 6.30kg - 5605423754100
FS670-25M - 3.90kg - 5605423753462
FS670-20M - 4.60kg - 5605423470437
FS670-15M - 2.70kg - 5605423753448
FS670-10M - 3.10kg - 5605423805475