

DATASHEET

IGNITE ION



GENERAL

Art.Nr:	G-1130-XS/M	Standards:	EN 361:2002
GTIN:	4030281222279	Net weight:	1.45 kg
E-class number:	40-21-04-01	Gross weight:	1.45 kg
Customs tariff number:	63079098		

DATASHEET

IGNITE ION

Our new all-round safety harness for all classical applications in construction and maintenance has above all one major feature due to simplified adjustment options in the chest and leg area as well as three different sizes: exceptional fit! Even for users who rarely wear personal protective equipment against falls from height, the IGNITE ION is extremely easy to use and self-explanatory. The buckle by Fidlock in the chest area snaps magnetically and closes almost automatically. The two orange roping-up loops made of fabric are approved for joint use and equipped with abrasion indicator for maximum safety.

FEATURES

Colour:	Black, Orange, Anthracite
Attachment points:	Sternal polyester attachment point, Dorsal aluminium attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Harness features:	Webbing rewind, Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum hip size:	70 cm
Maximum hip size:	100 cm
Minimum leg size:	50 cm
Maximum leg size:	65 cm
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Padding:	Removeable shoulder paddings, Back padding, Leg paddings removeable
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles legs

DIMENSIONS

Size:	XS-M
-------	------

DATASHEET

IGNITE ION

MATERIAL

Material:	Polyester, Polyamide, Aluminium, Stainless Steel, Steel
-----------	---

DATASHEET

IGNITE ION



GENERAL

Art.Nr:	G-1130-M/XXL	Standards:	EN 361:2002
GTIN:	4030281222255	Net weight:	1.49 kg
E-class number:	40-21-04-01	Gross weight:	1.49 kg
Customs tariff number:	63079098		

DATASHEET

IGNITE ION

Our new all-round safety harness for all classical applications in construction and maintenance has above all one major feature due to simplified adjustment options in the chest and leg area as well as three different sizes: exceptional fit! Even for users who rarely wear personal protective equipment against falls from height, the IGNITE ION is extremely easy to use and self-explanatory. The buckle by Fidlock in the chest area snaps magnetically and closes almost automatically. The two orange roping-up loops made of fabric are approved for joint use and equipped with abrasion indicator for maximum safety.

FEATURES

Colour:	Black, Orange, Anthracite
Attachment points:	Sternal polyester attachment point, Dorsal aluminium attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Harness features:	Webbing rewind, Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum hip size:	80 cm
Maximum hip size:	110 cm
Minimum leg size:	50 cm
Maximum leg size:	75 cm
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Padding:	Removeable shoulder paddings, Back padding, Leg paddings removeable
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles legs

DIMENSIONS

Size:	M-XXL
-------	-------

DATASHEET

IGNITE ION

MATERIAL

Material:	Polyester, Polyamide, Aluminium, Stainless Steel, Steel
-----------	---

DATASHEET

IGNITE ION



GENERAL

Art.Nr:	G-1130-XXL/5XL	Standards:	EN 361:2002
GTIN:	4030281222262	Net weight:	1.56 kg
E-class number:	40-21-04-01	Gross weight:	1.56 kg
Customs tariff number:	63079098		

DATASHEET

IGNITE ION

Our new all-round safety harness for all classical applications in construction and maintenance has above all one major feature due to simplified adjustment options in the chest and leg area as well as three different sizes: exceptional fit! Even for users who rarely wear personal protective equipment against falls from height, the IGNITE ION is extremely easy to use and self-explanatory. The buckle by Fidlock in the chest area snaps magnetically and closes almost automatically. The two orange roping-up loops made of fabric are approved for joint use and equipped with abrasion indicator for maximum safety.

FEATURES

Colour:	Black, Orange, Anthracite
Attachment points:	Sternal polyester attachment point, Dorsal aluminium attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Harness features:	Webbing rewind, Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum hip size:	90 cm
Maximum hip size:	120 cm
Minimum leg size:	50 cm
Maximum leg size:	85 cm
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Padding:	Removeable shoulder paddings, Back padding, Leg paddings removeable
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles legs

DIMENSIONS

Size:	XXL-5XL
-------	---------

DATASHEET

IGNITE ION

MATERIAL

Material:	Polyester, Polyamide, Aluminium, Stainless Steel, Steel
-----------	---
