

DATASHEET

ERGOG RIP CORE S15



GENERAL

Art.Nr:	L-0249-4
GTIN:	4030281077244
E-class number:	40-02-01-90
Customs tariff number:	73129000

Standards:	EN 358:2018
Net weight:	2.18 kg
Gross weight:	2.18 kg

DATASHEET

ERGOGRIP CORE S15

with steel inlay

FEATURES

Application areas:	Arborists
Fallindicator:	No
Colour:	Red, Yellow
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum temperature:	45 °C
Minimum tensile strength:	33.00 kN
Minimum temperature:	-35 °C

DIMENSIONS

length_lanyard:	4.00 m
Lanyard rope diameter:	15.00 mm

MATERIAL

Material:	Stainless Steel, Polyester, Steel, Aluminium
-----------	--

DATASHEET

ERGOGRIIP CORE S15



GENERAL

Art.Nr: L-0249-5

GTIN: 4030281158004

E-class number: 40-02-01-90

Customs tariff
number: 73129000

Standards: EN 358:2018

Net weight: 3.00 kg

Gross weight: 3.00 kg

DATASHEET

ERGOGRIP CORE S15

with steel inlay

FEATURES

Application areas:	Arborists
Fallindicator:	No
Colour:	Red, Yellow
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum temperature:	45 °C
Minimum tensile strength:	33.00 kN
Minimum temperature:	-35 °C

DIMENSIONS

length_lanyard:	5.00 m
Lanyard rope diameter:	15.00 mm

MATERIAL

Material:	Stainless Steel, Polyester, Steel, Aluminium
-----------	--

DATASHEET

ERGOGRIIP CORE S15



GENERAL

Art.Nr: L-0249-2

GTIN: 4030281080909

E-class number: 40-02-01-90

Customs tariff
number: 73129000

Standards: EN 358:2018

Net weight: 1.43 kg

Gross weight: 1.43 kg

DATASHEET

ERGOGRIP CORE S15

with steel inlay

FEATURES

Application areas:	Arborists, Telco energy
Fallindicator:	No
Colour:	Red, Yellow
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum temperature:	45 °C
Minimum tensile strength:	33.00 kN
Minimum temperature:	-35 °C

DIMENSIONS

length_lanyard:	2.00 m
Lanyard rope diameter:	15.00 mm

MATERIAL

Material:	Stainless Steel, Polyester, Steel, Aluminium
-----------	--

DATASHEET

ERGOGRIIP CORE S15



GENERAL

Art.Nr: L-0249-3

GTIN: 4030281086475

E-class number: 40-02-01-90

Customs tariff
number: 73129000

Standards: EN 358:2018

Net weight: 1.81 kg

Gross weight: 1.81 kg

DATASHEET

ERGOGRIP CORE S15

with steel inlay

FEATURES

Application areas:	Arborists
Fallindicator:	No
Colour:	Red, Yellow
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum temperature:	45 °C
Minimum tensile strength:	33.00 kN
Minimum temperature:	-35 °C

DIMENSIONS

length_lanyard:	3.00 m
Lanyard rope diameter:	15.00 mm

MATERIAL

Material:	Stainless Steel, Polyester, Steel, Aluminium
-----------	--